

NUVOLA

SOFA AND OTTOMAN



Italian 1IM approval is available in NE and TF fabrics, upon request.

COMPOSITION AND MATERIALS

VERSIONS

Available in the following versions:

- Single color,
- Bicolor: color 1 – outer backrest and armrests, color 2 - inner backrest and armrest



Single color



Bicolor

STRUCTURE AND PADDING

- Wooden shell with elastic bands
- Polyurethane foam padding on the backrest 40 kg/m³, thickness 20mm
- Polyurethane foam padding on the seat 40 kg/m³, thickness 105mm
- Optional: White HPL rotating table with metal 4 legged armchair



BASE

- 2 seater sofa with 4 chromed metal legs
 - BS264 – chromed metal 4 legged base Ø 22 mm, thickness 1,5 mm
 - BS268 – charcoal metal 4 legged base Ø 22 mm, thickness 1,5 mm , RAL 7016 color
 - BS272 – white metal 4 legged base Ø 22 mm, thickness 1,5 mm, RAL9003 color
 - BS 265 – chromed metal 4 legged base Ø 22 mm with rotating right side table, thickness 1,5 mm
 - BS 269 – charcoal metal 4 legged base Ø 22 mm with rotating right side table Ø 22 mm, thickness 1,5 RAL7016 color
 - BS 273 – white metal 4 legged base Ø 22 mm with white rotating table, thickness 1,5 mm, RAL9003 color
- 3 seater sofa with 6 chromed metal legs
 - BS266 – chromed metal 6 legged base Ø 22 mm, thickness 1,5 mm,
 - BS270 – charcoal metal 6 legged base Ø 22 mm, thickness 1,5 mm , RAL 7016 color
 - BS274 – white metal 6 legged base Ø 22 mm, thickness 1,5 mm, RAL9003 color
 - BS 267 – chromed metal 6 legged base Ø 22 mm with rotating right side table, thickness 1,5 mm
 - BS 271 – charcoal metal 6 legged base Ø 22 mm with rotating right side table Ø 22 mm, thickness 1,5 RAL7016 color
 - BS 275 – white metal 6 legged base Ø 22 mm with white rotating right side table, thickness 1,5 mm, RAL9003 color

DATA SHEET

- 4 legged, chromed metal ottoman

BS289 – chromed metal 4 legged base Ø 22 mm, thickness 1,5 mm

BS290 – charcoal metal 4 legged base Ø 22 mm, thickness 1,5 mm , RAL 7016 color

BS291 – white metal 4 legged base Ø 22 mm, thickness 1,5 mm, RAL9003 color



DIMENSIONS, VOLUMES AND WEIGHT

- 2 Seater sofa, base with 4 chromed metal legs

cod. NUV2_ 111 BS265


cod. NUV2_ 111 BS269

cod. NUV2_ 111 BS273

cod. NUV2_ 122 BS265

cod. NUV2_ 122 BS269

cod. NUV2_ 122 BS273



- 2 Seater sofa, base with 4 chromed metal legs and rotating table

cod. NUV2_ 111 BS266


cod. NUV2_ 111 BS270

cod. NUV2_ 111 BS274

cod. NUV2_ 122 BS266

cod. NUV2_ 122 BS270

cod. NUV2_ 122 BS274



- 3 Seater sofa, with 6 chromed metal legs

cod. NUV3_ 111 BS266


cod. NUV3_ 111 BS270

cod. NUV3_ 111 BS274

cod. NUV3_ 122 BS266

cod. NUV3_ 122 BS270

cod. NUV3_ 122 BS274



- 3 Seater sofa, with 6 chromed metal legs and rotating table

cod. NUV3_ 111 BS267


cod. NUV3_ 111 BS271

cod. NUV3_ 111 BS275

cod. NUV3_ 122 BS267

cod. NUV3_ 122 BS271

cod. NUV3_ 122 BS275



- Ottoman with 4 chromed metal legs

cod. NUV1_ 111 BS289


cod. NUV1_ 111 BS290 cod.

NUV1_ 111 BS291

cod. NUV1_ 122 BS289


cod. NUV1_ 122 BS290

cod. NUV1_ 122 BS291



Product codes refer to Milani 2018 price list.

DATASHEET



GENERAL INFORMATION

During video terminal use, ensure your feet are firmly on the floor; the angles between calf and thigh, thigh and upper body, forearm and shoulder, shall form a 90° angle. The knee shall be close to the front edge of the seat.

- 1) The seat shall be only used on flat and clean surfaces, avoiding uneven floors (ducts, joints etc..)
- 2) The seat can only be used by one person at a time.
- 3) Never stand with the feet on the chair; never sit on the armrests or on the outer edge of the seat.
- 4) Do not remove knobs or screws and, in the case of broken, missing or worn parts, do not use the chair until they are duly replaced with suitable spare parts supplied by Milani Srl.
- 5) Avoid use near dangerous objects or places (cables, steps, stairs, doors, windows, etc.).
- 6) Avoid use near walls or objects that may be damaged.
- 7) Do not expose the chair to direct sunlight or in excessively humid environment, do not use outdoors: the upholstery may be irreparably damaged.
- 8) Do not use the packaging improperly: it may cause chocking.
The product is intended for its normal use , in offices and similar environments.

Useful information on castors choice:

Nylon self-breaking castors: suitable for normal floors and carpets; equipped with a self-breaking device that ensures higher safety.

Self-breaking rubber castors: Suitable for delicate floors (eg parquet). Equipped with a soft tread to ensure greater resistance on the floor and a self-breaking device for higher safety.

Product maintenance:

Check periodically (at least every month) that all the screws are firmly fixed.

Periodically lubricate (at least every 6 months) the mechanical parts subject to movement, in particular gas lifts, which can be only replaced by qualified personnel in case of breaking or malfunction .

Periodically clean the castors according to the environmental conditions(at least every 3 months).

Any upholstered part covered with fabric shall be cleaned with a brush or vacuum cleaner, any upholstered part in natural or artificial leather shall be cleaned with a clean, damp and soft cloth; for difficult stains use specific delicate detergents following the specific product instructions ; all other parts (plastic, metal, wood) must be cleaned with a damp cloth. Do not use alcohol-based products, bleach, solvents or abrasive products (it is advisable to try first on a non-visible part).

For any problem ask for the assistance of qualified personnel.

WARRANTY

The warranty includes free replacement of all moving mechanical parts subject to wear: castors, gas lift, mechanisms in general, provided that the defects are not caused by misuse or improper use of the product . Transport and delivery costs will be charged to the customer starting from the second year from sale. The warranty is applicable only providing all information related to the product (specifying model, code and purchase document) Repairs can be made:

- 1) In case the defect is defined, parts will be shipped and replaced .
- 2) In case the defect has to be defined, shipping out the seat to Milani S.r.l. with suitable packing by designated courier. If after checking the product, Milani S.r.l. will reckon that the defect was caused by the customer, will charge all related costs including transport.

DISPOSAL INFO

Here you can find a list of materials used in our production process, in order to adopt a correct approach to recycling and disposal :

Wood: beech or birch plywood, chipboard, hardboard

Metal: iron, steel, die-cast aluminum

Plastics: PVC, polypropylene, polyurethane, nylon

Fabrics: natural leather, artificial leather, fabric, mesh

Our products do not contain harmful or potentially dangerous substances.

CERTIFICATIONS

Milani S.r.l. obtained the following certifications :

UNI EN ISO 9001 Quality management system according to UNI norms

EN ISO 14001 Environmental management system

OH SAS 18001 Work safety management system